



AHA compliant ECG Trunk Cables

Easy connection. Accurate measurements.

GE Healthcare ECG trunk cables help you reliably make the correct connection to GE monitoring devices. These high-quality reusable cables complement your monitoring equipment, enabling accurate measurements. GE Healthcare trunk cables undergo strict testing to help ensure quality, reliability, safety and compatibility with GE monitoring devices¹ to deliver optimum performance and a high standard of care.

Features

- Standard ECG cables are available in 3/5-, 6- and 12-lead configurations. Additional specialty cables include a 3-lead neonatal DIN and a 3/5- lead cable with electro-surgical unit (ESU) filtration for operating rooms.
- Cables are electrically shielded to protect ECG signal integrity.
- Chemical-resistant jacketing extends cable life, facilitates cleaning and remains flexible to withstand bending and twisting and enhance patient comfort.
- A standardized interface allows patients to be easily moved from one monitoring application to another.
- ECG cables have a pictorial guide to assist with the placement of the patient leadwires.

Our equipment. Our accessories. Simply compatible.

You can trust GE Healthcare accessories and consumables to keep your clinical devices working efficiently.

- One contact point for expert advice
- Simplified ordering process
- Fast delivery
- Quality support at every step

(1) See the reverse side for a list of compatible GE equipment

PRODUCT SPECIFICATIONS

Materials

Standard ECG Cables

Monitor Connector	
Overmold:	Thermoplastic Elastomer (TPE)
Cable Jacket:	Thermoplastic Polyurethane (TPU)
Leadwire Connector	
Overmold:	Thermoplastic Polyurethane (TPU)

CARESCAPE ONE ECG Cables

Monitor Connector	
Overmold:	Thermoplastic Polyurethane (TPU)
Cable Jacket:	Thermoplastic Polyurethane (TPU)
Leadwire Connector	
Overmold:	Thermoplastic Polyurethane (TPU)

Material Composition

Not made with BPA, DEHP, natural rubber latex, PVC or other phthalates.

Operating conditions

Temperature:	10° to 40°C (50° to 104°F)
Humidity:	10% to 90%

Storage conditions

Temperature:	-30° to 60°C (-22° to 140°F)
--------------	------------------------------

Disposal considerations

Dispose as clinical waste, in accordance with hospital policy, local guidelines and regulations.

Cleaning solutions

Ethyl alcohol maximum	90% by volume
Isopropyl alcohol maximum	60% by weight
Glutaraldehyde	2%
Phenol	2%

Do not sterilize or autoclave.

Compliance

RoHS (Restriction of Hazardous Substances) compliant
American Heart Association (AHA) standards
CE Mark

Product compatibility

The ECG trunk cables are compatible and validated with the following GE equipment:

- CARESCAPE™ Monitors B450/B650/B850
- CARESCAPE Patient Data Module (PDM) and Patient Side Module (PSM)
- CARESCAPE ONE†
- B105/B125 patient monitors
- B20/B40 and B20i/B40i patient monitors
- Solar™ monitors with CARESCAPE Patient Data Module
- Dash™ 2000/2500/3000/4000/5000
- Solar 8000M with TRAM 650SL

ECG trunk cables are also compatible with GE ECG leadwire sets.

(†) CARESCAPE ONE monitors have limited compatibility. See details in ordering information chart.



ORDERING INFORMATION

Standard ECG Cables

Part Number	Description	Length	Quantity
3/5-Lead			
2106305-001	ECG Trunk Cable	3.6 m / 12 ft	1
2106305-002	ECG Trunk Cable	1.2 m / 4 ft	1
2106311-001	ECG Trunk Cable	6 m / 20 ft	1
2106310-001	ECG Trunk Cable with ESU Filtration	3.6 m / 12 ft	1
6-Lead			
2106307-001	ECG Trunk Cable	3.6 m / 12 ft	1
2106307-002	ECG Trunk Cable	1.2 m / 4 ft	1
12-Lead			
2106308-001	ECG Trunk Cable	3.6 m / 12 ft	1
2106308-002	ECG Trunk Cable	1.2 m / 4 ft	1
3-Lead Neonatal DIN			
2106306-001	ECG Trunk Cable	3.6 m / 12 ft	1
2106306-002	ECG Trunk Cable	1.2 m / 4 ft	1
Cable Accessories			
2106399-002	Bedsheet Clip	N/A	1
2106403-003	DIN Converter (3-Lead)	N/A	1
2106403-001	DIN Converter (5-Lead)	N/A	1

CARESCAPE ONE Compatible ECG Cables

Part Number	Description	Length	Quantity
3-Lead Neonatal DIN			
2080557-001*	ECG Trunk Cable Extension	3.6 m / 12 ft	1
2080557-002*	ECG Trunk Cable Extension	1.2 m / 4 ft	1

*Only for use with compatible ECG micro-module parameter cable

Product may not be available in all countries and regions. Contact a GE Healthcare Representative for more information. Please visit www.gehealthcare.com/promotional-locations

© 2020 General Electric Company – All rights reserved.

GE Healthcare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Healthcare representative for the most current information. GE and the GE Monogram, are trademarks of General Electric Company. GE Healthcare, a division of General Electric Company. GE, the GE monogram, CARESCAPE and Solar are trademarks of General Electric Company. GE Medical Systems, Inc., doing business as GE Healthcare.

DOC2145246 rev3 9/20