



AHA compliant

# Reusable ECG Leadwires

**Easy connection. Accurate measurements.**

GE ECG leadwires help you reliably make the correct connection to GE monitoring devices. These high-quality reusable leadwires complement your monitoring equipment, enabling accurate measurements.

GE leadwires undergo strict testing to help ensure quality, reliability and safety. They have been tested and verified as compatible with GE monitoring devices<sup>1</sup> to deliver optimum performance and a high standard of care.

## Features

- Chemical-resistant jacketing extends service life, facilitates cleaning and remains flexible to withstand bending and twisting and enhance patient comfort.
- The leadwires are fast and easy to apply with clearly labeled, color-coded snaps and grabbers. Reusable leadwires can help improve efficiency in patient transfers by allowing patients to wear only one dedicated leadwire set throughout their hospital stay, if the facility is completely standardized.
- GE ECG wires are available in 3-, 4-, 5-, 6- and V-lead configurations.
- Leadwires are electrically shielded to protect ECG signal integrity.

## Accessories simply compatible with your equipment.

You can trust GE Healthcare accessories and consumables to keep your clinical devices working efficiently.

- One contact point for expert advice
- Simplified ordering process
- Fast delivery
- Quality support at every step

(1) See product compatibility section for a list of compatible GE equipment.

## PRODUCT SPECIFICATIONS

### Materials

---

Grabber and Snap:	Thermoplastic Polymer (ABS)
Cable Jacket:	Thermoplastic Polyurethane (TPU)
Leadwire Connector Overmold:	Thermoplastic Polyurethane (TPU)

### Materials Composition

---

Not made with BPA, DEHP, natural rubber latex or other phthalates.

### Operating conditions

---

Temperature:	10° to 40°C (50° to 104°F)
Humidity:	10% to 90%

### Storage

---

Temperature:	-30° to 60°C (-22° to 140°F)
--------------	------------------------------

### Disposal considerations

---

Dispose as clinical waste, in accordance with hospital policy, local guidelines and regulations.

### Packaging materials

---

Primary:	Polybag – Polyethylene (PE)
----------	-----------------------------

### Cleaning solutions

---

Ethyl alcohol maximum	90% by volume
Isopropyl alcohol maximum	60% by weight
Glutaraldehyde	2%
Phenol	2%

Do not sterilize or autoclave.

### Compliance

---

RoHS (Restriction of Hazardous Substances) compliant  
American Heart Association (AHA) standards  
CE Mark

### Product compatibility

---

The ECG leadwires are compatible and validated with the following GE equipment:

- CARESCAPE™ Monitors B450/B650/B850
- CARESCAPE Patient Data Module (PDM) and Patient Side Module (PSM)
- CARESCAPE ONE†
- B105/B125 patient monitors
- B20/B40 and B20i/B40i patient monitors
- Solar™ monitors with CARESCAPE Patient Data Module
- Dash™ 2000/2500/3000/4000/5000
- ApexPro™ CH†

ECG trunk cables are also compatible with GE ECG leadwire sets.

(†)The CARESCAPE ONE monitor and ApexPro CH telemetry transmitter have limited compatibility. See details on page 3 for more information.



## ORDERING INFORMATION

Part Number	Description	Connection	Base	Length	Quantity
<b>3-Lead</b>					
2106390-001*	ECG Leadwire set	Grabbers	Molded	74 cm / 29 in	1
2106390-002	ECG Leadwire set			130 cm / 51 in	1
2106385-001*	ECG Leadwire set	Snaps		74 cm / 29 in	1
2106385-002	ECG Leadwire set			130 cm / 51 in	1
<b>5-Lead</b>					
2106391-001*	ECG Leadwire set	Grabbers	Non-Molded	74 cm / 29 in	1
2106391-002	ECG Leadwire set			130 cm / 51 in	1
2106391-005	ECG Leadwire set			74 cm / 29 in and 130 cm / 51 in	1
2106389-001*	ECG Leadwire set	Snaps	Molded	74 cm / 29 in	1
2106389-002	ECG Leadwire set			130 cm / 51 in	1
2106389-005	ECG Leadwire set			74 cm / 29 in and 130 cm / 51 in	1
2106381-001*	ECG Leadwire set	Snaps	Non-Molded	74 cm / 29 in	1
2106381-002	ECG Leadwire set			130 cm / 51 in	1
2106381-005	ECG Leadwire set			74 cm / 29 in and 130 cm / 51 in	1
2106383-001*	ECG Leadwire set	Snaps	Molded	74 cm / 29 in	1
2106383-002	ECG Leadwire set			130 cm / 51 in	1
2106383-005	ECG Leadwire set			74 cm / 29 in and 130 cm / 51 in	1
<b>6-Lead</b>					
2106397-001*	ECG Leadwire set	Grabbers	Non-Molded	74 cm / 29 in	1
2106397-002	ECG Leadwire set			130 cm / 51 in	1
2106397-003	ECG Leadwire set			74 cm / 29 in and 130 cm / 51 in	1
2106395-001*	ECG Leadwire set	Snaps		74 cm / 29 in	1
2106395-002	ECG Leadwire set			130 cm / 51 in	1
2106395-003	ECG Leadwire set			74 cm / 29 in and 130 cm / 51 in	1
<b>V-Lead (not compatible with CARESCAPE ONE)</b>					
2106393-003	ECG Leadwire set	Grabbers	Non-Molded	74 cm / 29 in	1
2106393-001	ECG Leadwire set			130 cm / 51 in	1
2106394-003	ECG Leadwire set	Snaps		74 cm / 29 in	1
2106394-001	ECG Leadwire set			130 cm / 51 in	1
<b>4-Lead (only compatible with CARESCAPE ONE)</b>					
2066468-003	ECG Leadwire set	Grabbers	Molded	74 cm / 29 in	1
2066468-007	ECG Leadwire set			130 cm / 51 in	1
2066468-001	ECG Leadwire set	Snaps		74 cm / 29 in	1
2066468-005	ECG Leadwire set			130 cm / 51 in	1
<b>Leadwire Accessories</b>					
2106399-001	Leadwire Separator	N/A	N/A	N/A	3

\*74 cm / 29 in 3-, 5-, 6- leadwires sets are compatible with ApexPro™ CH Telemetry

Product may not be available in all countries and regions. Contact a GE Healthcare Representative for more information. Please visit [www.gehealthcare.com/promotional-locations](http://www.gehealthcare.com/promotional-locations)

© 2020 General Electric Company - All rights reserved.

DOC2145248 Rev 3 8/20

GE Healthcare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Healthcare representative for the most current information. GE and the GE Monogram, are trademarks of General Electric Company. GE Healthcare, a division of General Electric Company. GE, the GE monogram, CARESCAPE, ApexPro CH and Solar are trademarks of General Electric Company. GE Medical Systems, Inc., doing business as GE Healthcare.