Technical Publications

Document Number: DOC1242247 Revision: 21

Revolution CT Version 19MW38.10

Integrating the Healthcare Enterprise (IHE) Integration Statement

Copyright© 2019 by General Electric Company

INTRODUCTION

OVERVIEW

This IHE Integration Statement describes the intended conformance of this GE product with the IHE Technical Framework. The IHE Technical Framework defines a subset of the functional components of the healthcare enterprise, called IHE Actors, and specifies their interactions in terms of a set of coordinated, standards-based transactions. These transactions are organized into functional units called Integration Profiles that highlight their capacity to address specific clinical needs.

Users familiar with these concepts can use Integration Statements as an aid to determine what level of integration this product supports with other systems and what clinical and operational benefits such integration might provide.

Other GE Integration Statements as well as further information on IHE may be found on Internet at: ge.com/ihe

IMPORTANT REMARKS

The use of these IHE Integration Statements, by itself, it is not sufficient to ensure that inter-operation will be successful. The user needs to proceed with caution and ensure that a qualified systems' integration (such as that provided by GE's IT Professional Services) address at least four issues:

- Integration The integration of any system into an integrated department or enterprise requires an analysis of the applications requirements. The design of a solution that integrates GE systems with non–GE systems is the user's responsibility and should not be underestimated. Special care should be exercised in defining the expected workflow, the special conditions, and the clinical practice to be supported to ensure a safe and effective operation.
- Validation Testing the complete range of possible interactions between any GE system and non–GE system, before the integration is declared operational, should not be overlooked. Therefore, the user should ensure that any non–GE provider accepts full responsibility for all validation required for their connection with GE systems. This includes the accuracy of the data once it has crossed the interface and the stability of the data for the intended applications. Such a validation is required before any clinical use (diagnosis and/or treatment) is performed.
- Future Evolution GE understands that the IHE Technical Framework and the underlying communication standards will evolve to meet the user's growing requirements. GE is actively involved in the development of the IHE Technical Framework and the underlying standards. Such evolutions may require changes to already installed systems. In addition, GE reserves the right to discontinue or make changes to product features including those reflected by this IHE Integration Statement. The user should ensure that any non–GE system that connects with GE systems also plans for the future evolution of IHE. Failure to do so will likely result in the loss of function and/or connectivity as the IHE Integration profiles evolve and GE Products are enhanced to support these changes.

IHE INTEGRATION STATEMENT

General Electric - IHE Integration Statement				Date	
				10/28/2019	
Vendor		Product Name		Version	
GE Healthcare		Revolution CT	19MW3	19MW38.10	
	ments all transactions req d Options listed below:	uired in the IHE Technical Framework	to support the	e IHE Integration	
Integration Profiles Implemented		Actors Implemented	Optior	Options Implemented	
Scheduled Workflow (SWF)		Acquisition Modality	Broad Worklist Query		
			Patient Based Worklist Query		
			Modality Group Case		
Presentation of Grouped Procedures (PGP)		Acquisition Modality	None	None	
Consistent Presentation of Images		Acquisition Modality	None	None	
Patient Information Reconciliation (PIR)		Acquisition Modality	None	None	
Radiation Emission Monitoring (REM)		Acquisition Modality	None	None	
Portable Data for Imaging (PDI)		Portable Media Creator	None	None	
Consistent Time (CT)		Time Client	None	None	
Internet address f	or GE Healthcare IHE in	formation: ge.com/ihe			
L	inks to Standards Co.	nformance Statements for the Im	plementatio	on	
HL7	Not Applicable				
DICOM	http://www3.gehealthcare.com/en/Products/Interoperability/DICOM/Computed_Tomography_DICOM_Conformance_statements_DOC1242247 Rev 21				
	Links	to general information on IHE			
	IHF	E International: <u>www.ihe.net</u>			

This page is left blank



GE Healthcare

GE Healthcare – Americas : Fax 262-544-3384 P.O.Box 414, Milwaukee, Wisconsin, 53201 U.S.A Internet – http://www.gehealthcare.com

GE Healthcare – Europe : Fax 33-1-30-70-95-95 Paris, France Internet - http://www.gehealthcareeurope.com

GE Healthcare – Asia Tokyo, Japan : Fax 81-3-3223-8560 Singapore : Fax 65-291-7006