



How to Order



Available 24/7, GE HealthCare Service Shop makes ordering supplies online fast and easy.

- Search real-time inventory of compatible, OEM products
- Take advantage of Auto Reorder for parts you buy regularly
- · Batch order multiple items at once with Quick Order
- Get instant order and tracking confirmations
- Pay by PO or credit card or integrate your purchasing system

Visit GE HealthCare Service Shop to register.

- 1. Visit GE HealthCare Service Shop, navigating to the registration link in the upper left-hand corner of the page.
- 2. Give us your account details. Pro tip: Provide your customer account number for expedited registration.
- 3. A welcome message will come to you through the email you provide. Start shopping!

Register now at ServiceShop.GEHealthcare.com

Other ways to order:

Phone: (866) 281-7545 Options 1, 2, 1, 2

Fax: (877) 279-6990

Email: gehcaccessorysales@ge.com

EDI: Free – contact us for details

Hours: 7AM – 6PM (CST)













Table of Contents

Uninterruptible Power SuppliesPS	54 >
TransformerPS	6 🕨
Dynamic Sag CorrectorPS	57 >
Main Disconnect Panels	8 >
AC Lighting ControllersPS	10
Power Quality AnalyzerPS	10
Power Quality Compatibility Guide PS	11





Uninterruptible Power Supplies

Uninterruptible Power Supplies (UPS)

- Helps provide reliable, clean, consistent power for Diagnostic Imaging and PACS systems
- Helps to eliminate power anomalies (noise, transients, over and undervoltage), which could damage the system's sensitive computer components
- Enables the DI system to complete scanning after the loss of supply power and allows for the saving of valuable data and orderly system shutdown
- GE HealthCare tests and approves the UPSs listed in this catalog for compatibility with GE HealthCare Diagnostic imaging systems. All solutions are On-Line Double Conversion UPS.
- Configurations are available to support multi-modalities or even complete departments



Cat#	Description	Warranty
CT UPS		'
E4582AF	Riello 100 kVA UPS (non-seismic)	0
E4582AG	Riello 160 kVA UPS (non-seismic)	0
E4502DA	ABB 80 kW UPS (non-seismic)	0
E4502DB	ABB 100 kW UPS (non-seismic)	0
E4502DC	ABB 150 kW UPS (non-seismic)	0
E4502WA	Eaton 150 kW 93PM (non-seismic) UPS, non-upgradeable, 6.1 min runtime	0
E4502WB	Eaton 150 kW 93PM (seismic) UPS, non-upgradeable, 6.1 min runtime	0
E4502WC	Eaton 150 kW 93PM (non-seismic) UPS, upgradeable, 8.4 min runtime	0
E4502WD	Eaton 150 kW 93PM (seismic) UPS, upgradeable, 8.4 min runtime	0
E4502WE	Eaton 50 kW UPM field upgrade for E4502WC and E4502WD	0
E4502WF	Eaton 200 kW 93PM (non-seismic) UPS, non-upgradeable, 4.1 min runtime	0
E4502WG	Eaton 200 kW 93PM (seismic) UPS, non-upgradeable, 4.1 min runtime	0
E4502F	Eaton 14 kVA Partial UPS	0
E4502KZ	Liebert 10 kVA Partial UPS	0
E4504CP	Eaton 15 kVA Partial UPS	0
E4502YA	Eaton Seismic Kit for Cat# E4502F and E4502KY UPS	0



See Power Quality Compatibility Guide on page PS 11-15

Cat#	Description	Warranty
PET UPS		
E4582AF	Riello 100 kVA UPS (non-seismic)	0
E4582AG	Riello 160 kVA UPS (non-seismic)	0
E4502DB	ABB 100 kW UPS (non-seismic)	0
E4502DC	ABB 150 kW UPS (non-seismic)	0
E4502WA	Eaton 150 kW UPS (non-seismic)	0
E4502WB	Eaton 150 kW UPS (seismic OHSPD)	0
E4502F	Eaton 14 kVA Partial UPS	G
E4502YA	Eaton Seismic Kit for Cat# E4502F	0
MR UPS		
E4504FP	Eaton 700 VA Partial System UPS	0
E4504FN	Eaton Cable for Cat# E4504FM and E4504FP (Required for SIGNA Premier, SIGNA Voyager and SIGNA Pioneer)	0
E4502DA	ABB 80 kW UPS (non-seismic)	0
E4502DB	ABB 100 kW UPS (non-seismic)	0
E4582AF	Riello 100 kVA UPS	0
E4502DC	ABB 150 kW UPS (non-seismic)	0
E4582AG	Riello 160 kVA UPS	0
E4582AH	Riello 200 kVA UPS	0
E4502DD	ABB 225 kW UPS (non-seismic)	0
E4582AJ	Riello 300 kVA UPS	0
E45971AC	ABB 400 kW TLE UPS, non-seismic, 5 min runtime, with Maintenance Bypass Panel, for shipments via surface	0
E45971AE	ABB 400 kW TLE UPS, non-seismic, 5 min runtime, with Maintenance Bypass Panel, for air freight	0



Uninterruptible Power Supplies (UPS) (cont.)

Cat#	Description	Warranty
Intervention	al UPS	
E4502DC	ABB 150 kW UPS (non-seismic)	0
E4502WA	Eaton 150 kW 93PM (non-seismic) UPS, non-upgradeable, 6.1 min runtime	0
E4502WB	Eaton 150 kW 93PM (seismic) UPS, non-upgradeable, 6.1 min runtime	0
E4582AG	Riello MHT 160 kVA UPS (non-seismic)	0
Nuclear Med	icine UPS	
E4582AF	Riello 100 kVA UPS (non-seismic)	0
E4582AG	Riello 160 kVA UPS (non-seismic)	0
E4502DA	ABB 80 kW UPS (non-seismic)	0
E4502DB	ABB 100 kW UPS (non-seismic)	0
E4502DC	ABB 150 kW UPS (non-seismic)	0
E4502KX	Powercom 1.5 kVA VGS-1500 UPS for Discovery 750b	0
E4502FL	Vertiv 10 kVA UPS (three-phase)	
E4502KZ	Vertiv Liebert 10kVA CT partial UPS	0
E4502JJ	Eaton 6 kVA Eaton UPS	0
E4502KV	Powercom VGS-2000 2 kVA UPS, 120V, 50/60 Hz for Discovery NM530c	G
E4502YB	Eaton Seismic Kit for Cat# E4502JJ UPS	0
E4502WA	Eaton 150 kW 93PM (non-seismic) UPS, non-upgradeable, 6.1 min runtime	0
E4502WB	Eaton 150 kW 93PM (seismic) UPS, non-upgradeable, 6.1 min runtime	0
E4502KX	Powercom 1.5 kVA UPS	0
RAD/R&F UP:	S	
E4502DC	150 kW UPS (non-seismic)	0
E4502DD	250 kW UPS (non-seismic)	0
E4502WA	150 kW 93PM (non-seismic) UPS, non-upgradeable, 6.1 min runtime	0
E4502WB	150 kW 93PM (seismic) UPS, non-upgradeable, 6.1 min runtime	0
Mammograp	hy UPS	
E4502JJ	6 kVA Eaton UPS	0
Lunar UPS		
E4502LB	1.5 kVA UPS for LUNAR iDXA and Prodigy Systems (also requires E4502LC grounding kit)	G
E4502LC	Cable Kit for Cat# E4502LB UPS	G
Multi-System	UPS	
E4502DD	250 kW UPS (non-seismic)	0



See Power Quality Compatibility Guide on page PS 11-15



Transformer

Transformer

- Meets or exceeds DOE 2016, NEMA TP-1, NEMA premium and DOD CSL-3 efficiency requirements
- Qualified to the seismic requirements of ASCE7.05, IEEE-693-2005 and IBC-2006
- UL Listed



Cat#	Description	Warranty
E4500TB	112.5 kVA Step Up Transformer – 208-480Y/277 Volt	Υ





Dynamic Sag Corrector

Dynamic Sag Corrector (DySC)

- Corrects for voltage sags at the system, department or facility level
- DySC is optimized for fast sag detection and response time (voltage detect time
 of 1 ms; sags are corrected with a peak voltage response time of 1.5 ms)
- A green power solution at > 99% energy efficiency, the DySC has no batteries and over time can offer lower cost of maintenance
- Smaller footprint and lighter weight than comparable (kVA) UPS systems
- Service Contracts offered by GE HealthCare



E4505SM/E4505SN

Cat#	Description	Warranty
E4505SJ	200 Amp (166 kVA) ProDySC Dynamic Sag Corrector (without installation)	Y
E4505SM	200 Amp GT (166 kVA) ProDySC Dynamic Sag Corrector (without installation)	Υ
E4505SK	400 Amp (333 kVA) ProDySC Dynamic Sag Corrector (without installation)	Υ



Main Disconnect Panels

Main Disconnect Panels

- Main Disconnect Panels provide emergency shut down, undervoltage protection, overcurrent protection, OSHA lockout tag provisions, and serves as a local disconnect for the GE HealthCare Diagnostic Imaging System.
- · Helps reduce installation time by providing a single-point power connection, eliminating the need to mount and wire a number of individual components
- · Standardized design and testing helps ensure high product quality and system reliability
- UL and cUL listed for compliance with National Electric Code

· Surface or semi-flush mounting

• Please consult your GE HealthCare Field Engineer to determine if this is the appropriate product for your needs before purchasing



E4502BB/BC/BE/BF

Cat#	Description	Warranty
X-ray Main D	sconnect Panels	
E4502RP	25 KAIC X-ray Main Power Disconnect Panel – 90 Amp, Auto-Restart	Υ
E4502ST	25 KAIC X-ray Main Power Disconnect Panel – 80 Amp, 480V/208V	Υ
E4502TA	Main Disconnect Panel for Definium XR/f - UL 150A, 50KW, 208V, 60Hz, single phase with externally mounted 100 kVA step-up transformer	Υ
E4502TB	Main Disconnect Panel for Definium XR/f - UL 150A, 50KW, 240V, 60Hz, single phase	Υ
E4502TC	Main Disconnect Panel for Definium XR/f - UL 40A, 50KW, 480V, 60Hz, 3 phase	Υ
E4502TD	Main Disconnect Panel for Definium XR/f - UL 50A, 65KW, 480V, 60Hz, 3 phase	Υ
E4502TE	Main Disconnect Panel for Definium XR/f - UL 60A, 80KW, 480V, 60Hz, 3 phase	Υ
CT Main Disc	onnect Panels	
E4502BB	CT Main Disconnect Panel 90A 380-480VAC 50/60Hz 3 phases	Υ
E4502BC	CT Main Disconnect Panel 110A 380-480VAC 50/60Hz 3 phases	Υ
E4502BE	CT Main Disconnect Panel 125A 380-480VAC 50/60Hz 3 phases	Υ
E4502BF	CT Main Disconnect Panel 150A 380-480VAC 50/60Hz 3 phases	Υ
E4502BG	CT Main Disconnect Panel 175A 380-480VAC 50/60Hz 3 phases for Revolution Apex	Υ
Nuclear Med	cine/CT Main Disconnect Panels	
E4502BB	CT Main Disconnect Panel 90A 380-480VAC 50/60Hz 3 phases	Υ
E4502BC	CT Main Disconnect Panel 110A 380-480VAC 50/60Hz 3 phases	Υ
E4502BE	CT Main Disconnect Panel 125A 380-480VAC 50/60Hz 3 phases	Υ
E4502BF	CT Main Disconnect Panel 150A 380-480VAC 50/60Hz 3 phases	Υ
E4502BG	CT Main Disconnect Panel 175A 380-480VAC 50/60Hz 3 phases for Revolution Apex	Υ



See Power Quality Compatibility Guide on page PS 11-15



Main Disconnect Panels (cont.)

Cat#	Description	Warranty
MR Main Disc	onnect Panels	
E4502SP	25 KAIC MR Signa* Main Disconnect Panel w/Shield Cooler Compressor	Υ
Nuclear Medi	cine/PET Main Disconnect Panels	
E4502BB	CT Main Disconnect Panel 90A 380-480VAC 50/60Hz 3 phases	Υ
E4502BC	CT Main Disconnect Panel 110A 380-480VAC 50/60Hz 3 phases	Υ
E4502BE	CT Main Disconnect Panel 125A 380-480VAC 50/60Hz 3 phases	Υ
E4502BF	CT Main Disconnect Panel 150A 380-480VAC 50/60Hz 3 phases	Υ
E4502BG	CT Main Disconnect Panel 175A 380-480VAC 50/60Hz 3 phases for Revolution Apex	Υ
Mammograph	hy Main Disconnect Panels	
E4502PA	MDP UL 208 – 240 V, 60 Hz, for Senographe Pristina/Essential/DS	Υ
Interventiona	al Main Disconnect Panels	
E46001BD	MDP for Innova IGS5, IGS7 and IGS 6 AutoRight™	Υ



See Power Quality Compatibility Guide on page PS 11-15



AC Lighting Controllers

AC Lighting Controllers

- "X-ray in Use" warning and room lighting control panel provide a low voltage interface between the "X-ray in Use" warning lights, interior room general lighting systems and the X-ray system
- Convenient, push on/off pre-wired footswitch for control of room general lighting
- Enhances servicing safety by the use of a low voltage interface circuit between the imaging system and the line voltage lighting system



E4502SS

Cat#	Description	Warranty
E4502SS	X-ray Warning and Room Lighting Control Panel (X-ray, Vascular, R&F)	Υ
E4502RL	X-ray Warning Light Control Panel (CT, MR, X-ray)	Υ



See Power Quality Compatibility Guide on page PS 11-15

Power Quality Analyzer

POWERSIDE PQube 3 Power Quality and Environmental Analyzer

PQube® 3 is an instrument for monitoring electric power systems and environmental conditions, designed to help solve problems that impact the quality and reliability of the medical equipment.

- Records disturbances on the modality supply: sags/dips, swells, interruptions, frequency variations, impulses, and waveform events
- It also records power quality parameters like flicker, unbalance, current and voltage THD (harmonics) and current and voltage harmonics (THD, TDD)
- Implementing a POWERSIDE PQube 3 in your facility will help identify your power
 anomalies and degradations. Once identified, we can help you find a power solution
 to solve problems that impact the quality and reliability of your medical equipment.



Cat#	Description	Warranty
E45041BK	POWERSIDE PQube® 3 Power Quality and Environmental Monitoring System. GE Stationary Package for Medical Equipment	0



See Power Quality Compatibility Guide on page PS 11-15



Power Quality Compatibility Guide

CT Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Discovery CT590 (with 1700 table), Optima CT580 RT (with 1700 table), Discovery CT590 (with Bariatric table), Optima CT580 RT (with Bariatric table)	E4502WA E4502WB E4502DC E4582AG	150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) 150 kW UPS (non-seismic) Riello 160 kVA UPS (non-seismic)	E4502KZ	10 kVA partial system UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC configuration includes its own wall-mounted MBP.	E4502BE 125 Amp	E4502SS E4502RL
Optima CT660, Revolution Maxima 72kW, ACE/Optima CT680 Expert, Revolution EVO	E4502DB E4502WA E4502WB E4582AF	100 kW UPS (non-seismic) 150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) Riello 100 kVA UPS (non-seismic)	E4502KZ	10 kVA partial system UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DB configuration includes its own wall-mounted MBP.	E4502BB 90 Amp	E4502SS E4502RL
Optima CT540	E4502DB E4502WA E4502WB E4582AF	100 kW UPS (non-seismic) 150 kW UPS (non-seismic 150 kW UPS (seismic OHSPD) Riello 100 kVA UPS (non-seismic)	E4502KZ	10 kVA partial system UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DB configuration includes its own wall-mounted MBP.	E4502BB 90 Amp	E4502SS E4502RL
Optima CT520, Optima CT520 Series with DoD16	E4502DA	80 kW UPS (non-seismic)	E4502KZ	10 kVA partial system UPS	E4502DA configuration includes its own wall-mounted MBP.	E4502BB 90 Amp	E4502SS E4502RL
LightSpeed VCT, Discovery CT 750HD, Revolution Frontier/ES, Revolution HD	E4502WA E4502WB E4502DC E4582AG	150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) 150 kW UPS(non-seismic) Riello 160 kVA UPS (non-seismic)	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14.4 kVA Partial System UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel E4502DC configuration includes its own wall-mounted MBP.	E4502BE 125 Amp	E4502SS E4502RL
CT Cardiographe	E4502WA E4502WB E4502DC E4582AG	150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) 150 kW UPS (non-seismic) Riello 160 kVA UPS (non-seismic)	E4504CP (requires UPS cables and install procedure B7666BC)	15 kVA Partial System UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC configuration includes its own wall-mounted MBP.	E4502BE 125 Amp	E4502SS E4502RL
Revolution CT/CT ES (non upgradeable to Revolution Apex)	E4502WA E4502WB E4502DC E4582AG	150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) 150 kW UPS (non-seismic) Riello 160 kVA UPS (non-seismic)	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14.4 kVA partial system UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC configuration includes its own wall-mounted MBP.	E4502BE 125 Amp	E4502SS E4502RL
Revolution CT (upgradeable to Revolution Apex), Revolution Apex	E4502WF E4502WG E4502WE	200 kW UPS (non-seismic, non-upgradeable) 200 kW UPS (OSHPD, non-upgradeable) 50 kW field upgrade of E4502WC/WD (to 200 kW), with commissioning and installation	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14.4 kVA partial system UPS	E4502WF/WG configurations include their own MBP.	E4502BG 175 Amp	E4502SS E4502RL
Mobile CT's LightSpeed Series-Mobiles	n/a		B7999ZM	Includes UPS vibration Mounting Kit and E4502BC A1 panel with integrated UPS control.			E4502SS E4502RL

E4502KZ includes the seismic kit.

 $^{^{\}star}\text{E4502YA}$ is the seismic bracket for E4502F. E4502YB is the seismic bracket for E4502JJ.



Nuclear Medicine & Nuclear Medicine Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel
VG (Millenium VG), Infinia, Infinia Hawkeye	E4502FL	20 kVA UPS (three phase)				E4502SN
Optima NM/CT 640	S1875PK	10 kVA UPS (three phase)	E4502JJ + H3100YY transformer & cables kit (E4502YB UPS seismic kit)	6 kVA partial system UPS		
Ventri Systems	E4502KV E4502FL	2 kVA UPS Vertiv 10 kVA UPS (three phase)				
Discovery NM/CT 570c	E4502WA E4502WB E4502DC E4582AG	150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) 150 kW UPS (non-seismic) Riello 160 kVA UPS (non-seismic)	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14.4 kVA partial system UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC configuration includes its own wall-mounted MBP.	E4502BE 125 Amp
Discovery NM 530c	E4502KV	2 kVA UPS				
Discovery NM 630 Brivo NM 615"	E4502JJ (E4502YB UPS seismic kit)	6 kVA UPS				E4502SV
Discovery NM/CT 670, Discovery NM/CT 870, Discovery NM/CT 670 CZT, Discovery NM/CT 870 CZT	E4502DB E4502WA E4502WB E4582AF	100 kW UPS (non-seismic) 150 kW UPS (non-seimic) 150 kW UPS (seismic OHSPD) Riello 100 kVA UPS (non-seismic)	E4502JJ + H3100YY transformer & cables kit (E4502YB UPS seismic kit) E4502KZ	E4502JJ 6 kVA UPS for NM part – requires H3100YT cable set. E4502KZ 10 kVA UPS for CT part.	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DB configuration includes its own wall-mounted MBP.	E4502AG 90 Amp E4502AH 110 Amp
NM/CT 850 series, NM/CT 860 series	E4502DA	80 kW UPS (non-seismic)	E4502JJ + H3100YY transformer & cables kit (E4502YB UPS seismic kit) E4502KZ	E4502JJ 6 kVA UPS for NM part – requires H3100YT cable set E4502KZ 10 kVA UPS for CT part	E4502DA configuration includes its own wall-mounted MBP.	E4502AG 90 Amp E4502AH 110 Amp
StarGuide			E4502JJ E4502KZ	6 kVA UPS for NM part – requires H3100YT cable set 10kVA CT partial UPS		
Discovery 750b	E4502KX	1.5 kVA UPS				
Workstations						
Xeleris Xeleris View, Entegra, Genie P&R	E4502KV	2 kVA UPS				
Xpert (Elscint)	E4502KV	2 kVA UPS				
POWERstation LNX	E4502KV	2 kVA UPS				

 $^{^{\}star}\text{E}4502\text{YA}$ is the seismic bracket for E4502F.



PET & PET/CT Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Optima PET/CT 560, Discovery PET/CT 600/690 Elite, Discovery PET/CT 610/710 Elite (16 slice), Discovery IQ, Discovery LS, Discovery ST/STE, Discovery MI/MI-DR	E4502DB E4502WA E4502WB E4582AF	100 kW UPS (non-seismic) 150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) Riello 100 kVA UPS (non-seismic)	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14.4 kVA Partial System UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DB configuration includes its own wall-mounted MBP.	E4502BB 90 Amp	E4502SS E4502RL
Discovery PET/CT 690 VCT, Discovery Elite, Discovery PET/CT 610/710 (64 slice)	E4502WA E4502WB E4502DC E4582AG	150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) 150 kW UPS (non-seismic) Riello 160 kVA UPS (non-seismic)	E4502F (E4502CA UPS Long Cable Kit & E4502YA UPS Seismic Kit)	14.4 kVA Partial System UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC configuration includes its own wall-mounted MBP.	E4502BE 125 Amp	E4502SS E4502RL



MR Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat#	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel
Brivo MR355 Optima MR360 SIGNA Creator SIGNA Explorer	E4502DA	ABB TLE UPS 80KW UPS (non-seismic)	E4504FP	0.7 kVA Partial System UPS	E4502DA configuration includes its own wall-mounted MBP	M50022MA (M50022MC in progress)
SIGNA Voyager SIGNA Pioneer/ SIGNA Hero	E4502DB E4582AF	ABB TLE UPS 100KW (non-seismic) Riello UL UPS MHT 100 kVA, three phase,	E4504FP + E4504FN power cable	0.7 kVA Partial System UPS	E4502DB configuration includes its own wall-mounted MBP E4582BK Riello Free Standing Maintenace Bypass	M70022MC
Discovery 450 1.5T Discovery 750 3.0T Optima 450w SIGNA Artist Discovery 750w SIGNA Architect	E4582AG E4502DC	Riello UL UPS MHT 160 kVA, three phase (non seismic) ABB TLE 150 kW UPS (non-seismic)	E4504FP + E4504FN power cable	0.7 kVA Partial System UPS	E4582BL Riello Fre Standing Maintenance Bypass E4502DC configuration includes its own wall-mounted MBP	M7000ZA
Artist EVO	E4582AG	Riello UL UPS MHT 160 kVA, three phase (non seismic)			E4582BL Riello Free Standing Maintenance Bypass	M7000ZA
SIGNA PET/MR	E4502DD E4582AH	ABB TLE 250 kW UPS (non-seismic) Riello UL UPS MHT 200 kVA, three phase (non-seismic)	E4504FP	0.7 kVA Partial System UPS	ABB E4502DD configuration includes its own wall-mounted MBP Riello E4582BM – Free standing bypass panel (cabinet)	М8000РН
SIGNA Premier XT	E45971AC E45971AE E4582AJ	ABB 400 kW UPS for shipment via surface (non-seismic) ABB 400 kW UPS for air freight (non-seismic) Riello UL UPS MHT 300 kVA, three phase (non-seismic)	E4504FP + E4504FN power cable	0.7 kVA Partial System UPS	ABB MBP included in E45071AC and E45971AE UPS configurations Riello E4582BN Free standing bypass panell	M7100AA
SIGNA Premier	E4502DD E4582AH	ABB TLE 250 kW UPS (non-seismic) Riello UL UPS MHT 200 kVA, three phase (non-seismic)	E4504FP + E4504FN power cable	0.7 kVA Partial System UPS	ABB E4502DD configuration includes its own wall-mounted MBP Riello E4582BM – Free standing bypass panel (cabinet)	M7101MD
SIGNA Prime	TBD		TBD		TBD	

^{*}To order contact your local GE HealthCare representative.

Interventional Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Discovery IGS 7x/7xOR, Innova IGS 5x, Innova IGS 6x with AutoRight, Optima CL320i, Optima CL323i,	E4502WA E4502WB E4502DC E4582AG	150 kW UPS (non-seismic) 150 kW UPS (seismic OHSPD) 150 kW UPS(non-seismic) 160 kVA UPS (non-seismic)			E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC configuration includes its own wall-mounted MBP.	E46001BD (OHSPD)	E4502SS E4502RL



X-ray Systems	Full UPS Cat#	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Precision 500D, Precision RXi, Precision MPi, Proteus XQi, Proteus XRd-2X*, Proteus XRa, Definium 8000*, Definium 6000*	E4502DC E4502DD E4502WA E4502WB	150 kW UPS (non-seismic) 250 kW UPS (non-seismic) 150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	*E4504FQ	0.7kVA Partial System UPS (* indicates approval for use with these systems)	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC/DD configuration includes its own wall-mounted MBP.	E4502RP - 90 Amp, Auto Restart E4502ST- 80 Amp	E4502SS E4502RL
Brivo XR385	E4502DC E4502DD E4502WA E4502WB	150 kW UPS (non-seismic) 250 kW UPS (non-seismic 150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4504FQ	0.7kVA Partial System UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC/DD configuration includes its own wall-mounted MBP.	E4502RP – 90 Amp, Auto Restart E4502ST – 80 Amp	E4502SS E4502RL
Brivo XR385 XR/f	E4502DC E4502DD E4502WA E4502WB	150 kW UPS (non-seismic) 250 kW UPS (non-seismic) 150 kW UPS (non-seismic) 150 kW (seismic OHSPD)			E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC/DD configuration includes its own wall-mounted MBP.	E4502TA – UL 150A, 50KW, 208V, 60Hz, single phase with externally mounted 100 kVA step-up transformer, E4502TB – UL 150A, 50KW, 240V, 60Hz, single phase, E4502TC – UL 40A, 50KW, 480V, 60Hz, 3 phase, E4502TD – UL 50A, 65KW, 480V, 60Hz, 3 phase, E4502TE – UL 60A, 80KW, 480V, 60Hz, 3 phase	E4502SS E4502RL
Discovery XR640*, Optima XR646, Discovery XR650*	E4502DC E4502DD E4502WA E4502WB	150 kW UPS (non-seismic) 250 kW UPS (non-seismic) 150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	* E4504FQ	0.7kVA Partial System UPS (* indicates approval for use with these systems)	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC/DD configuration includes its own wall-mounted MBP.	E4502RP – 90 Amp, Auto Restart E4502ST – 80 Amp	E4502SS E4502RL
Discovery XR656	E4502DC E4502DD E4502WA E4502WB	150 kW UPS (non-seismic) 250 kW UPS (non-seismic) 150 kW UPS (non-seismic) 150 kW (seismic OHSPD)	E4504FQ	0.7kVA Partial System UPS	E4502WA/WB configurations include their own MBP and a wall-mounted load distibution panel. E4502DC/DD configuration includes its own wall-mounted MBP.	E4502RP – 90 Amp, Auto Restart E4502ST – 80 Amp	E4502SS E4502RL

Mammography Systems	Full UPS Cat #	Full UPS Description	Partial UPS Cat #	Partial UPS Description	Maintenance Bypass Panel	Main Disconnect Panel	AC Lighting Controller
Senographe Pristina, Senographe Pristina 3D	E4502JJ	6 kVA UPS				E4502PA	E4502SS E4502RL



Save time. Order accessories online with Service Shop.


Auto-Reorder



Set quantity, schedule frequency

Every 3 Months 🔻

Customize the quantity and order frequency that works for you.



Add to cart

It's that easy. Your first order has been placed. The product will be auto-delivered at your preferred delivery frequency.



Manage reorders

In advance of each delivery, we will send you a reminder email for your upcoming delivery. Skip your deliveries or cancel your subscriptions at any time.



Quick Order

Know what you need to order? Batch order multiple items at once with Quick Order on Service Shop. Enter a list of item numbers or paste from an excel spreadsheet, select quantity and add to cart. Spend less time ordering!



Payment Options

Pay by PO or credit card or integrate your purchasing system.

Register now at ServiceShop.GEHealthcare.com

- 1. Visit GE HealthCare Service Shop, navigating to the registration link in the upper left-hand corner of the page.
- 2. Give us your account details. Pro tip: Provide your customer account number for expedited registration.
- 3. A welcome message will come to you through the email you provide. Start shopping!



Specifications

- · All specifications are subject to change without notice
- The product and brand names herein are the trademarks or registered trademarks of their respective owners

Pricing

- Please call to obtain current pricing. All pricing and product availability is subject to change without notice
- · Price invoiced will be the price in effect at the time of order entry
- · Quotations available upon request

Blanket Purchase Orders

You can save time and money by ordering your consumable products with our Blanket Order program. Blanket orders must be scheduled for a year or more and a signed purchase order agreement must be on file. Contact us for additional details.

Restocking Fee

- Returns are subject to, but not limited to, a minimum 15% restocking fee
- Certain items, such as sterile and environmentally controlled products within this catalog, are non-returnable and nonrefundable unless defective and have been noted as such

Product Returns

- Immediately upon receipt, please inspect all deliveries for order accuracy and condition
- For products shipped in error, please obtain return authorization from the Accessories and Supplies Call Center within thirty (30) days of delivery
- · Power Quality items are nonreturnable and nonrefundable

Contact Us for General Information and Warranty Terms

In U.S.

GE HealthCare Accessories and Supplies Customer Support Center P.O. Box 414, W-544 Milwaukee, WI 53202

Phone: (866) 281-7545 - opt 1, opt 2, opt 1, opt 2

Fax: (877) 279-6990

Online: www.gehealthcare.com/accessories

Email: gehcaccessorysales@ge.com

All other regions

Contact your local GE Representative.



GE HealthCare is a leading global medical technology, pharmaceutical diagnostics, and digital solutions innovator dedicated to providing integrated solutions to make hospitals more efficient, clinicians more effective, therapies more precise, and patients healthier.

Learn more at www.gehealthcare.com.

GE HealthCare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE HealthCare representative for the most current information and availability. Please visit www.gehealthcare.com. Data subject to change.

©2023 General Electric Company.

GE and the GE Monogramare trademarks of General Electric Company. GE is a trademark of General Electric Company used under trademark license.



