

SIGNATMWorks

The new standard is extraordinary

Our new SIGNA™Works productivity platform redefines productivity across the breadth of our core imaging techniques. It takes full advantage of Total Digital Imaging (TDI), further advancing diagnostics and quickening throughput, while improving patient outcomes and your ROI. It is upgradeable and customizable with additional applications to suit your growing practice.

Standard Applications

Energize your clinical capabilities with all the tools you need to complete an exam. Imaging solutions cover a variety of contrasts, 2D and 3D volumetric data and motion correction capabilities.



Innovative Applications

Expand your expertise to the next level, to deliver improved image quality, higher efficiency and a more streamlined workflow, so you perform better than ever before.



find out more



Standard Applications
Innovative Applications

BodyWorks

One of the fastest growing areas in MR, BodyWorks allows you to image abdominal and pelvic anatomy with user flexibility to adapt to different patient types.

CVWorks

Gain crucial insights into vascular structure and flow dynamics and access morphology, flow, function and tissue viability with CVWorks.

NeuroWorks

This one-stop solution enables you to image brain, spine, vascular and peripheral nerve anatomy with exceptional tissue contrast.

OncoWorks

Delivers robust tissue contrast, motioninsensitive, high temporal and spatial resolution imaging techniques that capture anatomical and morphological data for oncological assessment.

OrthoWorks

This extensive library of musculoskeletal imaging techniques enables you to image bone, joint and soft tissue with remarkable tissue contrast.

PaedWorks

Delivers distinctive child-centered imaging techniques that provide ease of use for the user and clinical excellence for your smallest, most fragile patients.





▶ Innovative Applications

HyperWorks

HyperWorks means hyper scanning with astonishing imaging and impressive speed. It includes HyperSense, which can deliver higher spatial resolution images or reduced scan times.

ImageWorks

ImageWorks boosts your overall MR performance. READYView visualization and MAGiC one-and-done scanning help ensure consistent and clear results.

SilentWorks

SilentWorks is GE's most advanced noise reducing technology. Traditional exams can be extremely loud. SilentWorks brings the sound level down to ambient noise.


ViosWorks

ViosWorks reduces the complexity and cost of cardiac imaging. For the first time, all 7 dimensions of information can be captured in a cardiovascular scan in 10 minutes or less.

OncoWorks is an extensive library comprised of robust tissue contrast, motion-insensitive, high temporal and spatial resolution imaging techniques used for oncological assessment.



- > Elective Applications
- > Innovative Applications



Standard Applications

PROPELLER


PROPELLER Multi-Blade (MB) is a multi-shot approach that preserves tissue contrast regardless of weighting while also reducing motion artifacts and providing a more signal-rich image. Additionally, this technique allows for all contrasts for 2D FSE: T1, T2, STIR and PD weightings.

- Delivers motion-artifact-free diagnostic images (respiration and peristalsis)
- Increases productivity and decreases the number of repeated scans
- Enables sedation-free scanning and increases patient tolerance






T2 FatSat PROPELLER, 320 x 320




T2 PROPELLER, 320 x 320



T2 PROPELLER 320 x 320, FOV 19cm / 4mm 3:40 min



T2 PROPELLER
320 x 320 2:48 min



Standard Applications

Case Study: Assessment of Tumor Infiltration with PROPELLER

Protocols used

Sagittal T2 PROPELLER, Axial T2 PROPELLER, Coronal T2 PROPELLER, Axial DWI, Sagittal FOCUS, Sagittal ADC Map, 3D Turbo LAVA

Patient history

A patient was referred to MR to determine the primary staging level of semi-circular, extramural rectum carcinoma.


Procedure

T2 PROPELLER and DWI shows a mesorectal tumor infiltration. PROPELLER compared to standard FSE shows higher CNR/SNR and provides better in-plane resolution for enhanced wall assessment. FOCUS and LAVA Flex high-res isotropic with Turbo mode show potential improvement in the assessment of the tumor infiltration.

Coronal FOCUS b1000




Fusion to LAVA Flex




Axial T2 PROPELLER



Axial DWI b1000



Coronal T2 PROPELLER





Standard Applications

Case Study: Primary Staging Assessment with PROPELLER

Protocols used

T2 PROPELLER, Axial DWI, Coronal FOCUS, Sagittal FOCUS, Sagittal ADC Map, Sagittal 3D LAVA, Axial 3D LAVA


Patient history

A patient was referred to MR to assess primary staging and re-staging after RCT for rectum adenocarcinoma.


Procedure


PROPELLER shows high CNR/SNR and a possible in-plane resolution for enhanced wall assessment. FOCUS DWI demonstrates a high potential to improve the assessment of partial or complete tumor regression. High-res LAVA Flex with Turbo mode improves visualization of residual tumor and lymph nodes in a short scan time.

Sagittal FOCUS b1000



Fusion of FOCUS DWI & LAVA post contrast





Fusion of FOCUS DWI & PROPELLER



PROPELLER

Cube

DWI

LAVA

Navigator

OncoWorks

Standard Applications

Cube

Cube is our 3D volumetric imaging technique that can easily be reformatted into any plane. The SNR-rich submillimeter slices can provide partial volume averaging effect which helps to visualize even small and subtle abnormalities.

Clinical benefits:

- Scan once, then reformat to any plane with high sub-millimeter resolution
- Spatial anatomical localization for abnormalities
- Higher slice resolution compared to 2D imaging
- Can decrease flow artifacts
- Combines with ARC acceleration to reduce scan times

Sagittal T2 Cube acquisition with Axial and Coronal reformats

Sagittal Cube



Axial Cube



Coronal Cube



PROPELLER

Cube

eDW

LAVA

Navigator

OncoWorks

Standard Applications

eDWI

Diffusion Weighted imaging (DWI) is used to image diffusivity of water molecules (Brownian motion). This enhanced Diffusion Weighted Imaging (eDWI) technique enables high signal-to-noise-ratio (SNR) diffusion images, with short-acquisition time and shortest possible Echo Time (TE). Its multi-b feature is designed to measure apparent diffusion coefficient (ADC) map with reduced effect of perfusion.


Clinical benefits:

- Increases sensitivity and specificity of lesions
- Decreases overall exam sequences and time
- For body imaging, helps to improve patient tolerance with shortened breath-hold time or free-breathing Navigator




Whole body diffusion on patient with Lymphoma


Coronal T1, 3 Stations 2:17 min




Coronal STIR, 3 Stations 2:48 min




Axial DWI, 6 Stations T1 with DWI Fused 9:54 min



Axial DWI



Inhance Inflow IR fused to DWI



Standard Applications

Case Study: Whole Body eDWI with MAGiC DWI

Clinical solutions

System: Optima™ MR450w

Protocols used

Coronal T1, Coronal T2, DWI, MAGiC DWI

Patient history

Patient presented with persistent erythrocytosis with high Erythropoietin (EPO) and weight loss.

MR findings

Diffuse whole body bone marrow T1w and higher T2w signal intensity was consistent with a known hematological disorder. Patient was confirmed with splenomegaly and a large left kidney, but there was no evidence of malignancy.





DWI b800





Synthetic DWI

—
(left) b600

—
(right) b1200



PROPELLER

Cube

DWI

AVA |

Navigator

OncoWorks

Standard Applications

LAVA


Liver Acquisition with Volume Acceleration (LAVA) is a rapidly, accelerated 3D T1 dynamic (DCE) body imaging technique that uses a unique PSD waveform to allow for a reduction of scan time needed for dynamic imaging.

Clinical benefits:


- Produces 2D ARC parallel imaging for short scans
- Turbo mode further reduces scan time up to 50%
- Achieve higher spatial resolution scans within the same scan time (compared to conventional LAVA/LAVA Flex imaging)
- Provides adiabatic special fat suppression for robust imaging

40% increase in resolution

LAVA 21s



Turbo LAVA 20s



33% reduction in scan time 1.14 x 1.14 x 2mm

LAVA 2:45 min



Turbo LAVA 1:50 min



Standard Applications

Navigator

Navigator uses a tracker to detect the motion of the diaphragm which enables free-breathing body imaging acquisition. The tracker is automatically placed over the right hemidiaphragm so the acquisition synchronizes the patient's breathing pattern and minimizes ghosting artifacts.


Clinical benefits:

- Enhances workflow
- Eliminates need to use respiratory bellows
- Allows for adjustment of threshold and acceptance window in real time as the patient's respiration changes

Coronal T2 SSFSE FOV 44cm 2:14 min




Coronal Turbo LAVA FOV 42cm 0:59 min




Axial T2 PROPELLER
3:18 min







Axial eDWI, b800 3:13 min

LAVA







PROPELLER

Lube


eDWI LAVA

Navigator

OncoWorks **Standard Applications**

Navigator

Free-breathing Dynamic Turbo LAVA, 288 x 192 20s / phase





PROMO

FSE Flex

DISCO

FOCUS DWI

OncoQuant

OncoWorks

Elective Applications

Cube Flex


Cube Flex combines 3D FSE acquisition and a 2-point Dixon separation technique that provides robust, uniform fat suppression to obtain high-resolution 3D images.

- Can shorten scan times by eliminating separate sequences
- Can be combined with HyperCube and HyperSense to further reduce scan time
- Highly useful in difficult-to-scan anatomies where chemical FatSat can fail in the neck, hip, spine and feet
- Scan once, then reformat to any plane with high sub-millimeter resolution


Coronal T2 IDEAL

1.4 x 1.4 x 1.2mm, pFOV 1

4:50 min



Coronal 3D T2 Flex with HyperCube and HyperSense factor = 1.2 1.2mm³, pFOV 0.85 4:58 min



PROMO FSE Flex

DISCO FOCUS DWI

OncoWorks


Elective Applications

PROMO


PROspective Motion correction (PROMO) is an imaging technique that delivers prospective motion correction for rigid 3D brain imaging.

- Produces motion-free images in patients with involuntary movements or non-sedated pediatrics
- Increases productivity by reducing the series of scans and repeats
- Can assist with spatial anatomical localization for tumor evaluation

Sagittal T2 FLAIR Cube, 240 x 220, FOV 24cm 4:29 min



T2 FLAIR Cube with PROMO, 240 x 220, FOV 24cm 4:35 min



PROMO

FSE Flex

DISCO

FOCUS DWI

OncoQuant


OncoWorks

Elective Applications

FSE Flex

Fast Spin Echo (FSE) Flex uses a 2-point Dixon technique that provides homogenous fat separation with water, fat, in-phase and out-of-phase images in a single scan. It provides robust imaging where chemical FatSat can fail when detecting cancerous lesions, even in difficult-to-scan anatomies such as the abdomen, neck, hips, spine and feet.

- Acquires multiple contrasts in a single scan, reducing need for multiple acquisitions
- Compatible with 2D and 3D imaging, which is helpful in challenging off-isocenter anatomies or larger fields of view
- Can be combined with ARC acceleration to reduce scan times





PROMO

FSE Flex

DISCO

FOCUS DWI

OncoQuant

OncoWorks

Elective Applications

DISCO


Dynamic Scan Optimization (DISCO) combines 3D DCEMRI + 2 pt Dixon + Parallel Imaging + Temporal Acceleration to reduce scan time. It uses a pseudo random Cartesian trajectory to disperse motion and view sharing to improve temporal resolution.

- Generates extreme, high resolution for 3D dynamic imaging
- Detects smaller lesions with higher spatial resolution and less blurring
- Allows for shorter patient breath-holds
- Compatible with Navigator for free-breathing dynamic scans
- Has the potential to eliminate bolus timing







READYView PEI color map of DISCO Flex



DISCO Single Echo 512 x 512 1.2mm / 0.6mm 1:24 min / phase



DISCO Flex 512 x 512 1.2mm / 0.6mm 1:06 min / phase



MIP of DISCO Flex phase 5



PROMO

FSE Flex DISCO FOCUS DWI OncoQuant

OncoWorks


Elective Applications

DISCO

Hepatocellular Carcinoma FOV 44cm, 300 x 200, 4mm / 2mm, 16s

Pre Equilibrium 3:00 min Art_1 Art_2 Art_3 Portal

Wash in phases in 16s breath-hold







Elective Applications

Case Study: High Resolution Breast Imaging with DISCO

Clinical solutions

System: Optima™ MR450w GEM 1.5T

Protocols used

T2w PROPELLER, DISCO Flex, DISCO Single Echo, 3D MIP of DISCO

Patient history


An elderly patient was referred for an MR exam of a left breast lesion after mammography and ultrasound. The lesion appeared to be markedly hypoechoic on the ultrasound exam.

Procedure


The DISCO sequence improved spatial resolution compared to standard DCE imaging. The DISCO Flex or Single Echo options provided tailored CNR.

MR findings

A 9mm spiculated lesion was noticed in the infero external quadrant of the left breast, corresponding to the lesion seen at mammography and ultrasound. Suspect a high grade ductal carcinoma. Also noticed two additional small lesions, located in the upper breast, at the junction of external quadrants. Ultrasound-guided biopsy confirmed three locations of invasive ductal carcinoma.



DISCO Flex 512 x 512 1.2mm / 0.6mm 1:06 min / phase



DISCO Single Echo 512 x 512 1.2mm / 0.6mm 1:24 min / phase



T2w PROPELLER
352 x 352
2mm
4:07 min / phase



PROMO FSE Flex

DISCO FOCUS DWI


OncoWorks

Elective Applications


FOCUS DWI

FOV Optimized & Constrained Undistorted Singleshot (FOCUS) is a 2D Spatially Selective RF Excitation method for DW-EPI and DTI that reduces the FOV in the phase encode direction, to reduce geometric distortion, eliminate phase wrap artifacts and increase image sharpness. It provides high resolution DWI scans, especially useful when the region of interest is small in the phase encode direction.


- Helps reduce distortion around air/tissue interfaces, e.g., bowel
- Provides a higher spatial resolution diffusion when compared to conventional EPI diffusion techniques
- Helps detect and evaluate small lesions that may be obscured by distortion



Axial FOCUS DWI b1000 3:23 min



FOCUS ADC



PROMO

FSE Flex

DISCO

FOCUS DWI

OncoQuant

OncoWorks

Elective Applications

Case Study: Assessing Hepatocellular Carcinoma with FOCUS and DWI

"The combination of DISCO and FOCUS DWI adds a few more steps to getting closer to one-stop-shop imaging of abdominopelvic diseases with MRI." Yasemin Gündüz, MD, Sakarya University, Research and Training Hospital

Protocols used

T2 FatSat frFSE, T1 3D LAVA Flex, eDWI, FOCUS DWI, DISCO

Patient history

A 61-year-old patient had a liver mass detected during an ultrasound checkup.

AFP results were normal and patient had no prior history of chronic liver disease.

Underwent a previous splenectomy.




Procedure

FOCUS DWI significantly improved the resolution and quality of DWI imaging. ADC added accuracy to lead to a differential diagnosis. DISCO helped overcome the difficulty of delivering both spatial and temporal resolution and provided the fastest multiple-wash-in phases in a single breath-hold.


MR findings

Hepatocellular carcinoma was suspected and the MR scan clearly depicted early arterial enhancement and fast wash-out and capsular contract enhancement. There was also an increased diffusion restriction pattern and moderate hyper-intensity on T2-weighted images.



FOV 24cm 150 x 74 5mm / 0.5mm 03:35 min





PROMO

FSE Flex

DISCO

FOCUS DWI

OncoQuant

OncoWorks

Elective Applications

OncoQuant

A cross-modality software platform for the AW or AW Server that provides innovative analysis and reporting tools to streamline clinical capabilities and simplify exam reading workflow.

Benefits:

- Can help to increase diagnostic confidence for tracking measurements
- Manages cases across multiple modalities with no limit on the number of exams
- Provides automatic multi-modality image registration when loading two or more exams



HyperSense

HyperCube

MAGIC DWI

OncoWorks
Innovative Applications


HyperSense

HyperSense is an acceleration technique based on sparse data sampling and iterative reconstruction that delivers high image resolution or reduced scan time, without the typical penalties of conventional parallel imaging. It can be combined with other acceleration methods (ARC) to achieve high SNR with shorter acquisition times.


- Lowers scan time, without reducing SNR
- Helps achieve outstanding resolution in the same amount of time
- Provides faster 3D imaging acquisitions
- Combines with ARC for higher acceleration




T2 Cube with HyperSense



Axial MP with HyperSense



Coronal MPR with HyperSense





HyperSense

HyperCube


MAGIC DWI

OncoWorks
Innovative Applications


HyperSense

Axial T2 FLAIR Cube with HyperSense factor = 1.4, ARC 2 x 2


Axial acquisition 0.94 x 0.94 x 1.6mm



Coronal reformat



Sagittal reformat





HyperSense HyperCube

MAGIC DWI

OncoWorks
Innovative Applications

26

HyperCube


HyperCube reduces scan time and limits artifacts such as motion and aliasing by reducing the phase FOV. It can be applied with or without fat suppression and significantly lowers imaging time without sacrificing contrast quality. It allows focus on the area of interest, can be used on the entire body and is compatible with HyperSense.


- Lowers scan time, without SNR loss, allowing less potential for patient motion and less repeats
- Eliminates time-consuming parameters
- Provides high-resolution small FOV imaging
- Helps with large FOV robust fat suppression when combined with FSE Flex

Axial T2 with HyperCube









HyperSense | HyperCube | MAGiC DWI


OncoWorks Innovative Applications

27

MAGIC DWI

MAGnetic resonance image Compilation
Diffusion Weighted Imaging (MAGiC DWI)
generates multiple synthetic b-values from
one DWI scanned series so you can view
diffusion contrast changes in real time after
acquisition. It delivers high b-values without
stressing protocol parameters, and shorter
scan times without sacrificing contrast or
anatomy coverage. It also allows shorter TE,
improving SNR and sharpness.

- Produces multiple synthetic b-values from a single DWI scan
- Increases productivity by enabling higher b-values in shorter scan times
- Calculates high b-value as recommended by PIRADS for prostate
- Compatible with FOCUS diffusion



Images courtesy of: Triemli Hospital, Zurich, Switzerland; Sakarya University Research and Training Hospital, Sakarya Province, Turkey; GIE IRM, Creil, France; Tenon Hospital, Paris, France; Fairfax MRI Center, Fairfax, VA, US; Necker Hospital, Paris, France; Addenbrooke's Hospital, Cambridge, UK; radiomed, Germany; Keio University, Japan; Clinique Charcot, Lyon, France; Levanger Hospital, Levanger, Norway



© 2017 General Electric Company – All rights reserved.

GE Healthcare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Healthcare representative for the most current information. SIGNA, GE and the GE Monogram, are trademarks of General Electric Company.

GE Healthcare, a division of General Electric Company.

GE Medical Systems, Inc., doing business as GE Healthcare.