
VIVID S60/S70

Physical Dimensions and Weight (mm):

Please Note: The picture may vary according to order configuration.



Recommended Ultrasound Room Layout 4.27 x 5.18 m (14 x 17 foot)



- Preparatio 1. Secretaries or Doctors Desk
- 2. File Cabinet
- 3. Film Viewer
- 4. Counter Top
- **5.** Counter Top and Sink with hot and cold
- 6. Overhead Lights Dimmer -Dual Level Lighting (bright and dim)
- 7. Emergency Oxygen
- 8. Suction Line
- 9. Ultrasound system
- 10. Dedicated Power Outlet -Circuit Breaker protected and easily accessible
- 11. Network Interface
- 12. 457 mm (18 inches) distance of Ultrasound system from wall or objects
- **13.** Stool
- 14. Footswitch
- **15.** Storage for Linens and Equipment
- 16. Examination Table 1930 x 610 mm (76 x 24 inches)
- 17. Lavatory and Dressing Room 18. Door at least 762 mm (30 inches)

External Inputs and Outputs:









1920x1080

Environmental Requirements

Operating Temperature	10 to 35 C (50 to 95 F)
Operating Humidity	30 to 85 % rH, non-condensing / 700— 1060 hPa
Heat Dissipation	2000 BTU/hour +300 Btu for each person. Without on-board peripherals
Storage Temperature	-20 to 60 C (-4 to 140 F)
Storage Humidity	10 % - 70 % rH, non-condensing
Lighting	Combination lighting system (dim/bright) is recommended. Keep in mind that lighting controls and dimmers can be a source of EMI which could degrade image quality.

Electrical Specifications

Voltage	100 -240 VAC +- %10 / 50, 60 Hz (+-2%) At 230 VAC -> up to 3A , at 100 VAC—> up to 7A
Power Consumption	500 VA
Site Power Outlets	Dedicated AC power outlet must be within reach of the unit without extension cords
Inrush current	100 V— 4.5A 240 V—2.3 A
Power outage may occur	Requires a dedicated single branch circuit. To avoid circuit overload and possible loss of critical care equipment, make sure you DO NOT have any other equipment operating on the same circuit.
	Less than 55 dB(A)
Acoustic Noise Level	

Please Note: For more information please refer to the product's service & user manuals.