

Technical Publications

Document Number: DOC1236322

Revision: Rev3

Brivo OEC 715 Version WKS-1.x.x Brivo OEC 785 Version WKS-1.x.x Brivo OEC 865 Version WKS-1.x.x

Integrating the Healthcare Enterprise (IHE) Integration Statement

INTRODUCTION

OVERVIEW

This IHE Integration Statement describes the intended conformance of this GE product with the IHE Technical Framework. The IHE Technical Framework defines a subset of the functional components of the healthcare enterprise, called IHE Actors, and specifies their interactions in terms of a set of coordinated, standards-based transactions. These transactions are organized into functional units called Integration Profiles that highlight their capacity to address specific clinical needs.

Users familiar with these concepts can use Integration Statements as an aid to determine what level of integration this product supports with other systems and what clinical and operational benefits such integration might provide.

Other GE Integration Statements as well as further information on IHE may be found on Internet at: **ge.com/ihe**

IMPORTANT REMARKS

The use of these IHE Integration Statements, by itself, it is not sufficient to ensure that inter-operation will be successful. The user needs to proceed with caution and ensure that a qualified systems' integration (such as that provided by GE's IT Professional Services) address at least four issues:

- Integration The integration of any system into an integrated department or enterprise requires an analysis of the applications requirements. The design of a solution that integrates GE systems with non—GE systems is the user's responsibility and should not be underestimated. Special care should be exercised in defining the expected workflow, the special conditions, and the clinical practice to be supported to ensure a safe and effective operation.
- Validation Testing the complete range of possible interactions between any GE system and non-GE system, before the integration is declared operational, should not be overlooked. Therefore, the user should ensure that any non-GE provider accepts full responsibility for all validation required for their connection with GE systems. This includes the accuracy of the data once it has crossed the interface and the stability of the data for the intended applications. Such a validation is required before any clinical use (diagnosis and/or treatment) is performed.
- Future Evolution GE understands that the IHE Technical Framework and the underlying communication standards will evolve to meet the user's growing requirements. GE is actively involved in the development of the IHE Technical Framework and the underlying standards. Such evolutions may require changes to already installed systems. In addition, GE reserves the right to discontinue or make changes to product features including those reflected by this IHE Integration Statement. The user should ensure that any non-GE system that connects with GE systems also plans for the future evolution of IHE. Failure to do so will likely result in the loss of function and/or connectivity as the IHE Integration profiles evolve and GE Products are enhanced to support these changes.

IHE INTEGRATION STATEMENT

G	Date					
	Nov 20 2013					
Vendor		Product Name		Version		
GE Healthcare		Brivo OEC 715/785/865		WKS-1.x.x		
This product in and Options lis	1	actions required in the IHE Technical Frame	ework to support the IHE I	Integration Profiles, Actors		
Integration Profiles Implemented		Actors Implemented	Optio	Options Implemented		
Scheduled Workflow		Acquisition Modality		Patient Based Query Broad Worklist Query		
Portable Data for Imaging (PDI)		Portable Media Creator	None	None		
Patient Information Reconciliation(PIR)		Acquisition Modality	None			
Internet add	ress for GE Heal	thcare IHE information: ge.com/ihe				
	Links to	Standards Conformance Statements	s for the Implementation	on		
HL7	Not Applicable					
DICOM	http://www3.geh	ealthcare.com/en/Products/Interoperability/I	DICOM/Surgery_DICOM	Conformance Statements		
		Links to general information	on IHE			
In North America: iheusa.org		In Europe: <u>ihe-europe.net</u>	In Japan: www.ihe-j.	Japan: www.ihe-j.org		



GE Healthcare

GE Healthcare – Americas : Fax 262-544-3384 P.O.Box 414, Milwaukee, Wisconsin, 53201 U.S.A Internet - http://www.gehealthcare.com

GE Healthcare – Europe : Fax 33-1-30-70-95-95 Internet - http://www.gehealthcareeurope.com

GE Healthcare – Asia Tokyo, Japan : Fax 81-3-3223-8560 Singapore : Fax 65-291-7006