

GE Healthcare

## Technical Publications

Document Number: DOC1474887 Revision: 1

# **Centricity<sup>\*</sup> Clinical Gateway 8.0.2** Integrating the Healthcare Enterprise (IHE) Integration Statement

\* Trademark of General Electric Company Copyright© 2013 by General Electric Company This page intentionally left blank

#### **INTRODUCTION**

#### **OVERVIEW**

This IHE Integration Statement describes the intended conformance of this GE product with the IHE Technical Framework. The IHE Technical Framework defines a subset of the functional components of the healthcare enterprise, called IHE Actors, and specifies their interactions in terms of a set of coordinated, standards-based transactions. These transactions are organized into functional units called Integration Profiles that highlight their capacity to address specific clinical needs.

Users familiar with these concepts can use Integration Statements as an aid to determine what level of integration this product supports with other systems and what clinical and operational benefits such integration might provide.

Other GE Integration Statements as well as further information on IHE may be found on Internet at: **<u>ge.com/ihe</u>** 

#### **IMPORTANT REMARKS**

The use of these IHE Integration Statements, by itself, it is not sufficient to ensure that inter-operation will be successful. The user needs to proceed with caution and ensure that a qualified systems' integration (such as that provided by GE's IT Professional Services) address at least four issues:

- Integration The integration of any system into an integrated department or enterprise requires an analysis of the applications requirements. The design of a solution that integrates GE systems with non–GE systems is the user's responsibility and should not be underestimated. Special care should be exercised in defining the expected workflow, the special conditions, and the clinical practice to be supported to ensure a safe and effective operation.
- Validation Testing the complete range of possible interactions between any GE system and non–GE system, before the integration is declared operational, should not be overlooked. Therefore, the user should ensure that any non–GE provider accepts full responsibility for all validation required for their connection with GE systems. This includes the accuracy of the data once it has crossed the interface and the stability of the data for the intended applications. Such a validation is required before any clinical use (diagnosis and/or treatment) is performed.
- Future Evolution GE understands that the IHE Technical Framework and the underlying communication standards will evolve to meet the user's growing requirements. GE is actively involved in the development of the IHE Technical Framework and the underlying standards. Such evolutions may require changes to already installed systems. In addition, GE reserves the right to discontinue or make changes to product features including those reflected by this IHE Integration Statement. The user should ensure that any non-GE system that connects with GE systems also plans for the future evolution of IHE. Failure to do so will likely result in the loss of function and/or connectivity as the IHE Integration profiles evolve and GE Products are enhanced to support these changes.

## **IHE INTEGRATION STATEMENT**

<b>General Electric - IHE Integration Statement</b>			Date
			18 Nov 2013
Vendor		Product Name	Version
GE Healthcare		Centricity Clinical Gateway	8.0.2
	implements all transactions r options listed below:	required in the IHE Technical Framework to support the	IHE Integration Profiles,
Integration Profile Implemented		Actors Implemented	Options Implemented
Audit Trail and Node Authentication (ATNA)		Secure Application	None
Consistent Time (CT)		Time Client	None
Patient Identifier Cross- referencing for MPI (PIX)		Patient Identifier Cross-reference Consumer	None
Cross-Enterprise Document Sharing (XDS)		Document Source	Document Replace Document Addendum
Cross-Enterprise Document Sharing for Imaging (XDS-I.b)		Imaging Document Source	Text Report PDF Report
Cross-Enterprise Document Sharing for Scanned Documents (XDS-SD)		Content Creator	None
Internet ad	dress for GE Healthcare	IHE information: ge.com/ihe	
	Links to Standar	ds Conformance Statements for the Implementa	ation
HL7	Not Applicable	Not Applicable	
DICOM	Not Applicable		
		Link to general information on IHE	
IHE International		www.ihe.net	

This page intentionally left blank.



### GE Healthcare

GE Healthcare – Americas : Fax 262-544-3384 P.O.Box 414, Milwaukee, Wisconsin, 53201 U.S.A Internet – http://www.gehealthcare.com

GE Healthcare – Europe : Fax 33-1-30-70-95-95 Paris, France Internet - http://www.gehealthcareeurope.com

GE Healthcare – Asia Tokyo, Japan : Fax 81-3-3223-8560 Singapore : Fax 65-291-7006