

Measure Name	Measure Number			2017 CPC Plus	Measure Description	NQS Domain	Measure Type	High Priority	Specialty													
	CMS	NQF	Quality ID						Primary Care	Internal Medicine	Orthopedics	OB/GYN	Pediatrics	Cardiology	Gastroenterology	Oncology	Urology	Mental Health	Ophthalmology	Neurology		
Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	CMS155v5	0024	239	—	Percentage of patients 3-17 years of age who had an outpatient visit with a Primary Care Physician (PCP) or Obstetrician/Gynecologist (OB/GYN) and who had evidence of the following during the measurement period. Three rates are reported. - Percentage of patients with height, weight, and body mass index (BMI) percentile documentation - Percentage of patients with counseling for nutrition - Percentage of patients with counseling for physical activity	Community / Population Health	Process	NO	●			●	●									
Use of High-Risk Medications in the Elderly	CMS156v5	0022	238	Group 2	Percentage of patients 66 years of age and older who were ordered high-risk medications. Two rates are reported. a. Percentage of patients who were ordered at least one high-risk medication b. Percentage of patients who were ordered at least two different high-risk medications	Patient Safety	Process	YES	●	●							●					
Pregnant Women that had HBsAg Testing	CMS158v5	N/A	369	—	This measure identifies pregnant women who had a HBsAg (hepatitis B) test during their pregnancy	Effective Clinical Care	Process	NO	●			●										
Depression Remission at Twelve Months	CMS159v5	0710	370	Group 1	Patients age 18 and older with major depression or dysthymia and an initial Patient Health Questionnaire (PHQ-9) score greater than nine who demonstrate remission at twelve months (+/- 30 days after an index visit) defined as a PHQ-9 score less than five. This measure applies to both patients with newly diagnosed and existing depression whose current PHQ-9 score indicates a need for treatment.	Effective Clinical Care	Intermediate Outcome	YES	●											●		
Depression Utilization of the PHQ-9 Tool	CMS160v5	0712	371	—	Patients age 18 and older with the diagnosis of major depression or dysthymia who have a Patient Health Questionnaire (PHQ-9) tool administered at least once during a 4-month period in which there was a qualifying visit	Effective Clinical Care	Process	NO	●											●		
Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic	CMS164v5	0068	204	—	Percentage of patients 18 years of age and older who were diagnosed with acute myocardial infarction (AMI), coronary artery bypass graft (CABG) or percutaneous coronary interventions (PCI) in the 12 months prior to the measurement period, or who had an active diagnosis of ischemic vascular disease (IVD) during the measurement period, and who had documentation of use of aspirin or another antiplatelet during the measurement period	Effective Clinical Care	Process	NO	●	●				●								
Controlling High Blood Pressure	CMS165v5	0018	236	Group 1	Percentage of patients 18-85 years of age who had a diagnosis of hypertension and whose blood pressure was adequately controlled (<140/90mmHg) during the measurement period	Effective Clinical Care	Intermediate Outcome	YES	●	●		●		●								
Use of Imaging Studies for Low Back Pain	CMS166v6	0052	312	Group 3	Percentage of patients 18-50 years of age with a diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis.	Efficiency and Cost Reduction	Process	YES	●		●											
Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use	CMS169v5	N/A	367	—	Percentage of patients with depression or bipolar disorder with evidence of an initial assessment that includes an appraisal for alcohol or chemical substance use	Effective Clinical Care	Process	NO	●											●		
Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented	CMS22v5	N/A	317	—	Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated	Community / Population Health	Process	NO	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Preventive Care and Screening: Screening for Depression and Follow-Up Plan	CMS2v6	0418	134	—	Percentage of patients aged 12 years and older screened for depression on the date of the encounter using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen	Community / Population Health	Process	NO	●	●			●							●		
Closing the Referral Loop: Receipt of Specialist Report	CMS50v5	N/A	374	Group 3	Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred	Communication and Care Coordination	Process	YES	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Functional Status Assessment for Total Hip Replacement	CMS56v5	N/A	376	—	Percentage of patients 18 years of age and older with primary total hip arthroplasty (THA) who completed baseline and follow-up patient-reported functional status assessments	Person and Caregiver-Centered Experience and Outcomes	Process	YES	●		●											
Hypertension: Improvement in Blood Pressure	CMS65v6	N/A	373	—	Percentage of patients aged 18-85 years of age with a diagnosis of hypertension whose blood pressure improved during the measurement period	Effective Clinical Care	Intermediate Outcome	YES	●	●		●		●								
Functional Status Assessment for Total Knee Replacement	CMS66v5	N/A	375	—	Percentage of patients 18 years of age and older with primary total knee arthroplasty (TKA) who completed baseline and follow-up patient-reported functional status assessments	Person and Caregiver-Centered Experience and Outcomes	Process	YES			●											
Documentation of Current Medications in the Medical Record	CMS68v6	0419	130	—	Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration.	Patient Safety	Process	YES	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up Plan	CMS69v5	0421	128	—	Percentage of patients aged 18 years and older with a BMI documented during the current encounter or during the previous six months AND with a BMI outside of normal parameters, a follow-up plan is documented during the encounter or during the previous six months of the current encounter Normal Parameters: Age 18 years and older BMI => 18.5 and < 25 kg/m2	Community / Population Health	Process	NO	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Functional Status Assessments for Congestive Heart Failure	CMS90v6	N/A	377	—	Percentage of patients 65 years of age and older with congestive heart failure who completed initial and follow-up patient-reported functional status assessments	Person and Caregiver-Centered Experience and Outcomes	Process	YES	●					●								

Imagination at work

© 2017 General Electric Company – All rights reserved.

GE Healthcare reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Healthcare representative for the most current information. GE, the GE Monogram, and Centricity are trademarks of General Electric Company. GE Healthcare, a division of General Electric Company. GE Medical Systems, Inc., doing business as GE Healthcare.

JB49424US

Centricity Practice Solution v12.2 and Centricity EMR v9.10 are certified ONC 2014 Edition compliant complete and modular EHRs. For additional certification and transparency information, visit www.gehealthcare.com/certifications.