

GE Healthcare

# Transducer Guide

LOGIQ P5 and P6



GE Healthcare offers a wide variety of high bandwidth, ergonomic transducers for a broad range of clinical applications – empowering you with advanced probe technology on your ultrasound system.

The innovative broadband technology provides deep penetration and excellent resolution without the need to change transducers during the exam. These transducers can be used across multiple platforms, helping you achieve diagnostic confidence on a variety of the LOGIQ™ console ultrasound systems.

Choose from these transducers to help meet your clinical needs.

	Applications	Footprint	Bandwidth	Biopsy Guide	Availability
<b>Convex</b>					
 4C H4904PC	Abdomen, OB/GYN, Urology, Vascular	18 x 66 mm	1.6-4.6 MHz	Multi-angle, reusable	P5, P6 Pro, P6
 5CS H4001DC	Abdomen, OB/GYN, Urology, Vascular	18 x 66 mm	2-5 MHz	Multi-angle, reusable	P5, P6 Pro, P6
<b>Micro -convex</b>					
 8C H40412LJ	Neonatal, Pediatrics	22 x 12 mm	4-11 MHz	N/A	P5, P6 Pro, P6
 E8C H40412LE	OB/GYN, Urology, Endocavitary	21 x 17 mm	4-11 MHz	Single-angle, reusable, disposable	P5, P6 Pro, P6
 E8CS H44801HR	OB/GYN, Urology, Endocavitary	14 x 19 mm	4-10 MHz	Single-angle, reusable, disposable	P5, P6 Pro, P6
<b>Linear</b>					
 8L H4001DB	Abdomen, Vascular, Small Parts	14 x 47 mm	3.4-9.9 MHz	Multi-angle, reusable	P5, P6 Pro, P6
 9L H40412LT	Abdomen, Vascular, Small Parts, Neonatal, Pediatrics, OB/GYN	14 x 53 mm	2.7-7.8 MHz	Multi-angle, reusable	P5, P6 Pro, P6
 11L H40412LY	Abdomen, Vascular, Small Parts, Neonatal, Pediatrics	13 x 47 mm	3.4-10.8 MHz	Multi-angle, reusable	P5, P6 Pro, P6
 ML6-15 H40452LY	Vascular, Small Parts, Neonatal, Pediatrics	16 x 61 mm	5-13 MHz	Multi-angle, reusable	P6



Applications	Footprint	Bandwidth	Biopsy Guide	Availability
<b>Real-time 4D</b>				
Abdomen, OB/GYN	39 x 64 mm	2.2-4.1 MHz	Single-angle, reusable	P5, P6 Pro, P6
Abdomen, OB/GYN	38 x 64 mm	3-5.8 MHz	Single-angle, reusable	P6 Pro, P6
OB/GYN, Urology, Endocavitary	22 x 23 mm	4-9 MHz	Single-angle, reusable	P5, P6 Pro, P6
Neonatal, Pediatrics	23 x 27 mm	4-9 MHz	Single-angle, reusable	P5, P6 Pro, P6
<b>Phased array</b>				
Cardiac, Transcranial, Abdomen	19 x 28 mm	1.3-3.2 MHz	Multi-angle, reusable	P5, P6 Pro, P6
Cardiac, Transcranial, Abdomen	14 x 16 mm	1.5-5 MHz	Multi-angle, reusable	P5, P6 Pro, P6
Cardiac, Transcranial, Abdomen	10 x 10 mm	2-8 MHz	Multi-angle, reusable	P5, P6 Pro, P6
<b>Specialty</b>				
Urology, Endocavitary	19 x 22 mm	4-11 MHz	Single-angle, reusable, disposable	P5, P6 Pro, P6
Intraoperative, Small Parts, Vascular	14 x 48 mm	4-9 MHz	N/A	P5, P6 Pro, P6



Applications	Footprint	Bandwidth	Biopsy Guide	Availability
Specialty (cont.)				
Intraoperative, Small Parts, Vascular	14 x 48 mm	4-9 MHz	Multi-angle, reusable	P5, P6 Pro, P6
Cardiac, Pediatrics	diameter 17 mm	2 MHz	N/A	P5, P6 Pro, P6
Cardiac, Pediatrics, Vascular	diameter 9 mm	5 MHz	N/A	P5, P6 Pro, P6
Urology, Transrectal	diameter 20 mm	Linear: 5.2- 7.8 MHz Convex: 5.2 - 7.8 MHz	Brachytherapy grid, bridge guide biopsy	P5, P6 Pro, P6
Cardiac, Adult TEE	N/A	3-6 MHz	N/A	P6

GE Healthcare  
 9900 Innovation Drive  
 Wauwatosa, WI 53226  
 U.S.A.

[www.gehealthcare.com](http://www.gehealthcare.com)



©2014 General Electric Company – All rights reserved.

General Electric Company reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation. Contact your GE Representative for the most current information.

GE, GE Monogram and LOGIQ are trademarks of General Electric Company or one of its subsidiaries.

GE Medical Systems Ultrasound & Primary Care Diagnostics, LLC, a General Electric company, doing business as GE Healthcare.